

**RISULTANO OMOLOGATI IN QUANTO CONFORMI
ALLA DV 801A I SEGUENTI COMPONENTI:**

MATRIC.	TIPO	IDENTIFICAZIONE COMPONENTE			
		DITTA	N° iscr. C.C.I.A.	SIGLA	DATA
		BURNDY	310648 TORINO	(*)	25-01-88
	DV 801A	COMPEL	1207079 MILANO	(*)	25-01-88
		COL		(*)	15-02-95

(*) Per le sigle vedere la tabella a pag. 2

COMPONENTE			SIGLE DITTE OMOLOGATE			
			BURNDY	COMPEL	COL	
C O N N E T T	FISSO	50	MS50PMBR207T	CRM50D-VFP	F50C-1042/00	
		75	MS75PMBR207T	CRM75D-VFP	F75C-1041/00	
	VOLAN	50	MS50RM157GEOO	CRF50D-VGS1	V50C-1037/00	
		75	MS75RM157GEOO	CRF75D-VGS1	V75C-1036/00	
COPERCHIO DI PROTEZIONE		50	MSS50RDC	CR50-CP	50C-1049/00	
		75	MSS75RDC	CR75-CP	75C-1048/00	
C O N T A T T	M A S C H I O	1x0,25	RM24M9K	CM16-C24	M24C-1036/12	
		2x0,25	RM16M23K	CM16-C16	M16C-1036/12	
		1x0,50	RM16M23K	CM16-C16	M16C-1036/12	
		2x0,50	RM16M23K	CM16-C16	M16C-1036/12	
	F E M M	1x0,25	RC24M9GE3K	-----	F24C-1036/12	
		1x0,50	RC16M23GE3K	CF16-C16	F16C-1036/12	
		1x1,50	RC16M23GE3K	CF16-C16	F16C-1036/12	
	GUIDA DI POLARIZZAZIONE CONNETTORE FISSO		MASC	MS14PB6PM	CR-GM001	GFMC-1036/13
			FEMM	MS14PB6SM	CR-GF001	GFFC-1036/13
GUIDA DI POLARIZZAZIONE CONNETTORE VOLANTE		MASC	MS14PB1P2	CR-GM011	GVMC-1036/13	
		FEMM	MS14PB1P3	CR-GF011	GVFC-1036/13	
A T T R E Z Z I	PINZE	MH860 (Pinza) MH86-164 (Posizion.) M22520/3-3 (Calibro)	Pinza universale tipo: P-CF/M16	 P16/24U		
	ETRATTORE CONTATTI	RX2025GE1	E-CF/M16	E16/24U		